

eSUN



eSun - Temporary Crown Resin 500ml

[Read More](#)

SKU: 3DW34SN6FVT6I

Price: 849.00 DH (HT)

Stock: instock

Categories: [Resins](#), [Professional Resins](#)

Tags: [#dental](#), [3d](#), [print](#), [resin](#)

Product Description

Esun - résine de couronne temporaire, haute précision 500ml

Description

Dental printing resin, used to print temporary crown and bridge model. Natural texture and color of teeth; After cleaning, post curing and polishing can in the oral environment for a short time, odorless and tasteless; High surface hardness (>80D); Good scratch resistance after curing.

Sellingpoint

The natural appearance of teeth High molding Precision

High surface hardness >80D Good scratch resistance

Utilisation Bien agiter avant utilisation. Éviter toute lumière directe du soleil pendant l'utilisation; Ne pas mettre dans la bouche. Gardez-le loin des enfants; Portez des gants avant utilisation pour éviter le contact direct avec la peau et garder la pièce ventilée; Les modèles finis doivent être nettoyés avec de l'alcool à haute concentration (>95%) environ 30 Des secondes et un processus post-cure peuvent être nécessaires pour une dureté plus élevée; Veuillez filtrer la résine résiduelle dans la tva vers le récipient si elle ne serait pas utilisée pendant 48 heures. La résine résiduelle polluée causerait des problèmes d'impression.

Conditions de stockage

Veuillez le ranger dans un endroit frais et sombre. Veuillez fermer le bouchon de la bouteille après avoir versé la résine. Si la résine n'est pas utilisé, ne pas retourner le flacon d'origine .. La meilleure température de stockage est de 8 à 28 °C, trop élevée ou trop basse affectera la

performance de la colle.

Printing Parameters Table

Parameter Name	PDF Catalog	PDF Catalog	PDF Catalog	PDF Catalog	PDF Catalog
Resolution (DPI)	300	300	300	300	300
Color Mode	CMYK	CMYK	CMYK	CMYK	CMYK
Trim Size (mm)	148.5	148.5	148.5	148.5	148.5
Registration	Yes	Yes	Yes	Yes	Yes
Color Management	Yes	Yes	Yes	Yes	Yes
Image Resolution (DPI)	300	300	300	300	300
Image Color Mode	CMYK	CMYK	CMYK	CMYK	CMYK
Image Compression	None	None	None	None	None

PDF Catalog is a powerful tool for creating PDF catalogs. It offers a wide range of features and options to customize your catalog. For more information, please visit our website at <https://www.pdf-catalog.com>.

Physical Performance Parameter Table

Parameter Name	PDF Catalog	PDF Catalog	PDF Catalog	PDF Catalog	PDF Catalog
----------------	-------------	-------------	-------------	-------------	-------------